

D-CLAR



INTENSIFIES THE EFFICACY OF PEELING/LASER TREATMENT FOR HYPERPIGMENTATION

MILANO | ITALY

PREVALENCE OF HYPERPIGMENTATION

A study on 2,823 adults (average age of 49 years) has highlighted that the prevalence of **lentigo solaris** is of 62,4%, while that of **lentigo senilis** is of 33,2%.*

*The Epidemiology of Nevi and Signs of Skin Aging in the Adult General Population: Results of the KORA-Survey 2000, T. Schafer et al., Journal of Investigative Dermatology (2006), Volume 126, 1490-1496



MELANIN CYCLE PHASES UVA UVB **ACCUMULATION OF MELANIN IN THE CORNEOCYTES OF THE** STRATUM CONRNEUM **PHASE** TRANSPORT OF THE MELANIN FROM **MELANOCYTE TO KERATINOCYTE** S P D **PHASE OXIDATION OF THE** COLORLESS MELANIN INTO DARK MELANIN 2nd **PHASE** SYNTHESIS OF THE **MELANIN INSIDE THE MELANOCYTE**

The optimal topical treatment to contrast and prevent hyperpigmentation should act on every phase of the melanin cycle.

CLINICAL STUDIES

RILASTIL D-CLAR DEPIGMENTING CONCENTRATE DROPS

Dermofarm Laboratorios. Barcelona, January, 2020.


Panel: 30 volunteers with hyperpigmentation on face, neck and neckline (24-45 years old).

Treatment: two localized applications (morning and evening) on the hyperpigmentation for 56 days.



REDUCTION OF THE SPOT'S INTENSITY

Instrumental evaluation of the melanin index (SkinColorCatch®).



Rilastil D-Clar Depigmenting Concentrate Drops determine a statistically significant reduction of the spot's intensity by 18,7% in 56 days.

RILASTIL D-CLAR CONCENTRATED MICROPEELING

Dermofarm Laboratorios. Barcelona, July 3, 2019

Panel: 20 volunteers with hyperpigmentation on face, neck, neckline


and back of hands (32-72 years old).

Treatment: one application per day for 56 days.



REDUCTION OF THE SPOT'S INTENSITY

Instrumental evaluation of the melanin index (SkinColorCatch®).



-9% of melanin in 56 days Statistically significant resul

Rilastil D-Clar Concentrated Micropeeling determines a statistically significant reduction of the spot's intensity by 9% in 56 days.

RILASTIL D-CLAR DAILY DEPIGMENTING CREAM

Dermofarm Laboratorios. Barcelona, June 28, 2019


Panel: 20 volunteers with hyperpigmentation on face, neck and neckline (27-69 years old).

Treatment: two applications (morning and evening) on the whole area affected by the hyperpigmentation (face, neck, neckline) for 56 days.



REDUCTION OF THE SPOT'S INTENSITY

Instrumental evaluation of the melanin index (SkinColorCatch®).



-10,8% of melanin in 56 days Statistically significant results p<0.0001

Rilastil D-Clar Daily Depigmenting Cream determines a statistically significant reduction of the spot's intensity by 10,8% in 56 days.

ANTI-DARK SPOT TREATMENT



RILASTIL D-CLAR CONCENTRATED MICROPEELING

Biphasic milk with intensive exfoliating action. The texture with lipidic fraction restores the skin comfort. 10% Mandelic Acid

ACTIVE INGREDIENTS	ACTIONS
Mandelic Acid 10% Liposomal Tripeptide	Exfoliating
Bisabolol	Soothing

100 ml

RILASTIL D-CLAR DEPIGMENTING CONCENTRATE DROPS

Localized depigmenting shock treatment Active on every stage of the melanin cycle





30 1111

ENHANCED FORMULA WITH HYDROXYRESVERATROL NIOSOME

ACTIVE INGREDIENTS	ACTIONS
Hydroxyresveratrol Niosome Clari-tech Complex (Tetrapeptide-30, High Tech Vitamin C, Niacinamide) 4-Butylresorchinol	Depigmenting
Fruit AHA Liposomal Tripeptide	Exfoliating
Sodium DNA	Elasticizing
Peony extract	Soothing



40 ml

RILASTIL D-CLAR DAILY DEPIGMENTING CREAM

Daily depigmenting, illuminating and uniforming treatment.





ACTIVE INGREDIENTS	ACTIONS
Hydroxyresveratrol Niosome Clari-tech Complex (Tetrapeptide-30, High Tech Vitamin C, Niacinamide)	Depigmenting
Hyaluronic Acid	Hydrating
Vitamin E	Soothing

HOW TO USE









Istituto Ganassini S.p.A. di Ricerche Biochimiche, Via P. Gaggia 16 - 20139 Milano - www.rilastil.com